TRAYS AND RACKS

To hold instruments for sterilization and storage.

SECTION AA

CONTENTS

Hibbs-Brun Rack	1
Lambotte Rack	1
Smith Peterson Rack	1
Brun Rack	2
Hoke Rack	2
Cobb Rack	2
OrthoMed K-Wire and	
Steinmann Pin Sterilization Cases	3-6





HIBBS-BRUN RACK

OM 98-0180 12" x 8"x 3" (305mm x 203mm x 76mm) Holds twelve 9" (229mm) OrthoMed Brun Curettes, Hibbs Chisels, Gouges or Osteotomes



LAMBOTTE RACK

OM 98-0190 11 1/2" x 8"x 3" (292mm x 203mm x 76mm) Holds twelve 9" (229mm) OrthoMed Lambotte Osteotomes



SMITH PETERSON RACK

OM 98-0195 10" x 10"x 1 7/8" (254mm x 254mm x 48mm) Holds seven 8" (203mm) OrthoMed Smith Peterson Osteotomes or Gouges



BRUN RACK

OM 98-0160 9 1/2" x 8" x 3" (241mm x 203mm x 76mm) Holds 12 instruments




HOKE RACK

OM 98-0150 8" x 5 1/2" x 1 1/4" (203mm x 140mm x 32mm) Holds six instruments



COBB RACK

OM 98-0170 13" x 12" x 1 7/8" (330mm x 305mm x 48mm) Holds nine 11" OrthoMed Cobb Currettes, Elevators, or Gouges



The OrthoMed K-Wire and Steinmann Pin Sterilization Case holds popular 4" (102mm), 6" (152mm) and 9" (229mm) K-Wires and 9" (229mm) Steinmann Pins.

Accommodates four each of the following K-Wire diameters:

.028" (.7mm) .035" (.9mm) .045" (1.1mm) .062" (1.6mm)

Accommodates two each of the following Steinmann Pin diameters:

5/64" (2.0mm) 3/32" (2.4mm) 7/64" (2.8mm) 1/8" (3.2mm) 9/64" (3.5mm) 5/32" (4.0mm) .177" (4.5mm)


- Removable lid fits under case taking up less room in the O.R.
- Nylon coated brackets prevent metal-tometal contact - protecting sharp ends.
- Contents are held in place when closed preventing shifting.
- Secure locking side brackets help prevent accidental opening.
- Handles at each end for easy transport.
- Anodized aluminum case is lightweight and built to withstand abuse.
- Fully autoclavable to 270°F (132°C).

ORTHOMED K-WIRE AND STEINMANN PIN STERILIZATION CASE

OM 71-0010 11 3/4" x 5 1/4" x 2" (closed) (298mm x 133mm x 51mm)



Case in closed position.



The Orthomed K-Wire and Steinmann Pin Sterilization Case holds popular 9" (229mm) K-Wires and Steinmann Pins.

Accommodates four each of the following K-Wire diameters:

.028" (.7mm) .035" (.9mm) .045" (1.1mm) .062" (1.6mm)

Accommodates four each of the following Steinmann Pin diameters:

5/64" (2.0mm) 3/32" (2.4mm) 7/64" (2.8mm) 1/8" (3.2mm) 9/64" (3.5mm) 5/32" (4.0mm) .177" (4.5mm)

- Removable lid fits under case taking up less room in the O.R.
- Nylon coated brackets prevent metal-tometal contact – protecting sharp ends.
- Contents are held in place when closed preventing shifting.
- Secure locking side brackets help prevent accidental opening.
- Handles at each end for easy transport.
- Anodized aluminum case is lightweight and built to withstand abuse.
- Fully autoclavable to 270°F (132°C).

ORTHOMED K-WIRE AND STEINMANN PIN STERILIZATION CASE

OM 71-0009 13 5/8" x 5 1/4" x 2 1/4" (closed) (346mm x 133mm x 57mm)



Case in closed position.

Designed to provide easy access and identification.

Designed to provide easy access and identification.

1-800-547-5571
OM-71-0008

Case in open upright position

The OrthoMed K-Wire sterilization container holds 4" (102mm) or 6" (152mm) K-Wires.

Accommodates six each of the following K-Wire diameters:

.028" (.7mm) .035" (.9mm) .045" (1.1mm) .054" (1.4mm) .062" (1.6mm)

- K-Wire sizes are clearly noted on the inside of case for quick identification and reordering.
- Lid folds back and acts as a support to hold the case in an upright position – taking up less room in the O.R.
- Top of case locks when closed helping to prevent accidental opening.
- Case has a one piece design eliminates the possibility of losing or switching case parts.
- Anodized aluminum case is lightweight and built to withstand abuse.
- Fully autoclavable to 270°F.

ORTHOMED K-WIRE STERILIZATION CONTAINER

OM 71-0008 6 1/4" x 4 1/8" x 3/4" (closed) (158mm x 105mm x 19mm)



Case in closed position.



The OrthoMed, Inc. K-Wire and Steinmann Pin Sterilization Case holds popular 9" K-Wires and Steinmann Pins.

Accommodates twelve each of the following K-Wire diameters:

.035" (.9mm) .045" (1.1mm)

.062" (1.6mm)

Accommodates four each of the following Steinmann Pin diameters:

5/64" (2.0mm) 3/32" (2.4mm)

Accommodates two each of the following Steinmann Pin diameters:

7/64" (2.8mm) 1/8" (3.2mm) 9/64" (3.5mm) 5/32" (4.0mm)

- Removable lid fits under case taking up less room in the O.R.
- Nylon coated brackets prevent metal-tometal contact – protecting sharp ends.
- Contents are held in place when closed preventing shifting.
- Secure locking side brackets help prevent accidental opening.
- Handles at each end for easy transport.
- Anodized aluminum case is lightweight and built to withstand abuse.
- Fully autoclavable to 270°F (132°C).

ORTHOMED K-WIRE AND STEINMANN PIN STERILIZATION CASE

OM 71-0011 13 5/8" x 5 1/4" x 2 1/4" (closed) (346mm x 133mm x 57mm)



Case in closed position.